

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
CON	NB	179	NQ				Amp	DN60692401	2021418242
EXT	NB	179	EXC		X		Amp	DN60692401	2021418242
EXT	NB	179	Q	0.52.41	0	8	Amp	DN60692401	2021418243
CON	NB	179	Q	0.18.31		2	Amp	DN60692401	2021418243
BUR	MAS	152	NQ				Astro	SR78665102	2021418240
INT	MAS	152	Q	2.00.01		2	Astro	SR78665102	2021418240
BUR	MAS	152	NQ				Astro	SR78665102	2021418241
INT	MAS	152	Q	3.28.62	0	6	Astro	SR78665102	2021418241
BUR	ADV	183	NQ				Badger	SR87360005	2021418240
INT	EXC	183	Q	2.59.25	0	8	Badger	SR87360005	2021418240
BUR	ADV	183	NQ				Badger	SR87360005	2021418241
INT	EXC	183	NQ				Badger	SR87360005	2021418241
CON	EXC	183	NQ				Badger	SR87360005	2021418242
CON	EXC	183	ABS				Badger	SR87360005	2021418243
BUR	NB	119	Q	1.23.56	1	9	Bailey	PR21821302	2021418240
INT	NB	119	NQ				Bailey	PR21821302	2021418240
INT	NB	119	Q	0.19.82	0	11	Bailey	PR21821302	2021418241
BUR	NB	119	NQ				Bailey	PR21821302	2021418241
CON	NB	119	Q	0.31.03	0	10	Bailey	PR21821302	2021418242
EXT	NB	119	EXC		X		Bailey	PR21821302	2021418242
EXT	NB	119	NQ				Bailey	PR21821302	2021418243
CON	NB	119	Q	0.21.79		3	Bailey	PR21821302	2021418243
CON	EXC	207	Q	2.02.09	0	2	Belle	PAL264673	2021418242
EXT	MAS	207	NQ				Belle	PAL264673	2021418242
CON	MAS	207	Q	1.26.16	0	2	Belle	PAL264673	2021418243
EXT	MAS	207	NQ				Belle	PAL264673	2021418243
CON	ADV	148	NQ				Berks	MA00098701	2021418242
CON	ADV	148	NQ				Berks	MA00098701	2021418243
INT	ADV	189	Q	1.56.78	0	8	Bleyde	DN53379903	2021418240
BUR	NA	189	Q	0.15.13	0	5	Bleyde	DN53379903	2021418240
INT	ADV	189	Q	1.15.15	0	7	Bleyde	DN53379903	2021418241
BUR	NA	189	Q	0.09.44	0	3	Bleyde	DN53379903	2021418241
EXT	NA	189	NQ				Bleyde	DN53379903	2021418242
CON	EXC	189	NQ				Bleyde	DN53379903	2021418242
EXT	NA	189	Q	1.30.00	0	6	Bleyde	DN53379903	2021418243
CON	EXC	189	Q	1.05.83	0	5	Bleyde	DN53379903	2021418243
INT	EXC	128	Q	2.40.9	0	7	Bodie	SR98812012	2021418240
BUR	EXC	128	NQ				Bodie	SR98812012	2021418240
INT	EXC	128	Q	1.35.56	0	6	Bodie	SR98812012	2021418241

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
BUR	EXC	128	NQ				Bodie	SR98812012	2021418241
INT	MAS	128	NQ				Bodie	SR98812012	2021418241
CON	MAS	128	NQ				Bodie	SR98812012	2021418242
EXT	MAS	128	NQ				Bodie	SR98812012	2021418242
EXT	MAS	128	NQ				Bodie	SR98812012	2021418243
CON	MAS	128	NQ				Bodie	SR98812012	2021418243
EXT	NB	199	NQ				Boo	DN36355506	2021418242
EXT	NB	199	Q	0.15.94	0	1	Boo	DN36355506	2021418243
INT	NB	137	NQ				Boomer	SS12645901	2021418240
BUR	NB	137	Q	0.23.12	0	6	Boomer	SS12645901	2021418240
INT	NB	137	Q	0.27.03	0	13	Boomer	SS12645901	2021418241
BUR	NB	137	NQ				Boomer	SS12645901	2021418241
CON	NB	137	Q	0.39.19	0	11	Boomer	SS12645901	2021418242
EXT	NB	137	NQ				Boomer	SS12645901	2021418242
EXT	NB	137	NQ				Boomer	SS12645901	2021418243
CON	NB	137	NQ				Boomer	SS12645901	2021418243
BUR	ADV	120	Q	0.47.85	0	3	Bosky	WS44709405	2021418240
INT	ADV	120	Q	0.58.97	0	5	Bosky	WS44709405	2021418240
INT	ADV	120	Q	1.49.37	0	9	Bosky	WS44709405	2021418241
BUR	ADV	120	Q	1.13.90	0	5	Bosky	WS44709405	2021418241
EXT	ADV	120	Q	2.59.11		1	Bosky	WS44709405	2021418242
CON	ADV	120	Q	01.24.43	0	5	Bosky	WS44709405	2021418242
CON	ADV	120	Q	1.02.91	0	11	Bosky	WS44709405	2021418243
EXT	ADV	120	NQ				Bosky	WS44709405	2021418243
INT	EXC	117	Q	1.57.34	0	5	Bru	SS003242902	2021418240
BUR	EXC	117	NQ				Bru	SS003242902	2021418240
INT	EXC	117	Q	2.06.88	0	10	Bru	SS003242902	2021418241
BUR	EXC	117	NQ				Bru	SS003242902	2021418241
EXT	EXC	117	Q	2.11.62	0	6	Bru	SS003242902	2021418242
CON	EXC	117	NQ				Bru	SS003242902	2021418242
EXT	EXC	117	Q	2.01.28	0	4	Bru	SS003242902	2021418243
CON	EXC	117	Q	0.50.34	0	3	Bru	SS003242902	2021418243
BUR	NB	196	Q	0.04.22	0	1	Bunny	DN45423406	2021418240
INT	NB	196	Q	0.04.68	0	2	Bunny	DN45423406	2021418240
INT	NB	196	Q	0.04.34	0	1	Bunny	DN45423406	2021418241
CON	ADV	196	Q	1.02.10	0	6	Bunny	DN45423406	2021418242
EXT	NB	196	Q	1.45.75	0	7	Bunny	DN45423406	2021418242
EXT	ADV	196	Q	0.34.47	0	3	Bunny	DN45423406	2021418243
INT	EXC	156	Q	1.34.37	1	10	Captain	DN55115402	2021418240

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
INT	EXC	156	Q	1.00.19	0	3	Captain	DN55115402	2021418241
CON	MAS	156	Q	1.42.48	0	3	Captain	DN55115402	2021418242
EXT	MAS	156	NQ				Captain	DN55115402	2021418242
EXT	MAS	156	Q	2.02.50		2	Captain	DN55115402	2021418243
CON	MAS	156	NQ				Captain	DN55115402	2021418243
EXT	MAS	201	Q	2.57.68	0	7	Cash	SR82190206	2021418242
EXT	MAS	201	NQ				Cash	SR82190206	2021418243
INT	NB	144	NQ				CHEVY	DN60929508	2021418240
BUR	NB	144	Q	0.07.37	0	2	CHEVY	DN60929508	2021418240
INT	NB	144	Q	0.08.06	0	4	CHEVY	DN60929508	2021418241
BUR	NB	144	Q	0.11.56	0	2	CHEVY	DN60929508	2021418241
CON	NB	144	Q	0.11.28	0	5	CHEVY	DN60929508	2021418242
EXT	NB	144	NQ				CHEVY	DN60929508	2021418242
CON	NB	144	NQ				CHEVY	DN60929508	2021418243
EXT	ADV	144	NQ				CHEVY	DN60929508	2021418243
CON	NA	157	Q	0.12.62	0	1	Chip	RN27878801	2021418242
EXT	NA	157	Q	0.41.68	0	4	Chip	RN27878801	2021418242
CON	NA	157	NQ				Chip	RN27878801	2021418243
INT	ADV	176	NQ				Clementine	RN27247902	2021418240
INT	ADV	176	Q	1.34.44	0	8	Clementine	RN27247902	2021418241
EXT	ADV	176	Q	3.00.00		2	Clementine	RN27247902	2021418242
EXT	ADV	176	NQ				Clementine	RN27247902	2021418243
BUR	EXC	167	Q	1.06.00	0	2	Cocoa	MA49049601	2021418240
INT	EXC	167	NQ				Cocoa	MA49049601	2021418240
INT	EXC	167	Q	1.13.74	0	5	Cocoa	MA49049601	2021418241
BUR	EXC	167	NQ				Cocoa	MA49049601	2021418241
EXT	EXC	167	Q	1.42.66	0	5	Cocoa	MA49049601	2021418242
CON	EXC	167	NQ				Cocoa	MA49049601	2021418242
EXT	EXC	167	EXC		X		Cocoa	MA49049601	2021418243
CON	EXC	167	Q	1.13.75	0	6	Cocoa	MA49049601	2021418243
CON	ADV	140	NQ				Cody	MA00155101	2021418242
CON	ADV	140	NQ				Cody	MA00155101	2021418243
INT	NA	191	NQ				Curry	HP55755204	2021418240
INT	NA	191	Q	0.25.84	0	8	Curry	HP55755204	2021418241
CON	NA	191	NQ				Curry	HP55755204	2021418242
EXT	NA	191	NQ				Curry	HP55755204	2021418243
BUR	NB	187	Q	0.36.41	0	8	Daenerys	WS57732402	2021418240
INT	NB	187	Q	0.53.69	0	7	Daenerys	WS57732402	2021418240
BUR	NB	187	Q	0.19.25	0	4	Daenerys	WS57732402	2021418241

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
INT	NB	187	Q	0.09.06	0	6	Daenerys	WS57732402	2021418241
CON	NB	187	Q	0.06.28	0	2	Daenerys	WS57732402	2021418242
EXT	NB	187	Q	1.39.40	0	4	Daenerys	WS57732402	2021418242
EXT	NB	187	Q	0.22.10	0	3	Daenerys	WS57732402	2021418243
CON	NB	187	NQ				Daenerys	WS57732402	2021418243
INT	EXC	182	NQ				Daisy	SR86593902	2021418240
BUR	EXC	182	NQ				Daisy	SR86593902	2021418240
INT	EXC	182	Q	1.02.58	0	4	Daisy	SR86593902	2021418241
BUR	EXC	182	NQ				Daisy	SR86593902	2021418241
EXT	EXC	182	Q	0.49.31	0	1	Daisy	SR86593902	2021418242
CON	EXC	182	NQ				Daisy	SR86593902	2021418242
EXT	EXC	182	Q	2.22.34	0	5	Daisy	SR86593902	2021418243
CON	EXC	182	Q	1.50.53	0	9	Daisy	SR86593902	2021418243
INT	ADV	122	Q	0.53.91	0	4	Daniel	DN25181001	2021418240
INT	ADV	168	Q	2.27.87	0	9	Dazzle	WS55330411	2021418240
BUR	ADV	168	NQ				Dazzle	WS55330411	2021418240
INT	ADV	168	Q	2.27.63	0	10	Dazzle	WS55330411	2021418241
BUR	ADV	168	NQ				Dazzle	WS55330411	2021418241
CON	ADV	168	NQ				Dazzle	WS55330411	2021418242
EXT	EXC	168	NQ				Dazzle	WS55330411	2021418242
CON	ADV	168	Q	1.10.28	0	12	Dazzle	WS55330411	2021418243
EXT	EXC	168	Q	1.42.44	0	3	Dazzle	WS55330411	2021418243
INT	NB	180	Q	0.50.81	0	6	Declan	DN40153803	2021418240
INT	NB	180	Q	0.14.62	0	10	Declan	DN40153803	2021418241
EXT	NB	180	NQ				Declan	DN40153803	2021418243
INT	ADV	186	Q	3.00.00	0	10	Deuce	WS62439501	2021418240
BUR	ADV	186	NQ				Deuce	WS62439501	2021418240
INT	ADV	186	Q	0.54.91	0	4	Deuce	WS62439501	2021418241
BUR	ADV	186	NQ				Deuce	WS62439501	2021418241
CON	ADV	186	NQ				Deuce	WS62439501	2021418242
EXT	ADV	186	NQ				Deuce	WS62439501	2021418242
CON	ADV	186	Q	0.51.56	0	10	Deuce	WS62439501	2021418243
EXT	ADV	186	NQ				Deuce	WS62439501	2021418243
BUR	NA	142	Q	0.05.25	0	1	Dixon	MA47112901	2021418240
INT	NA	142	Q	0.49.94	0	4	Dixon	MA47112901	2021418240
BUR	NA	142	Q	0.07.44	0	1	Dixon	MA47112901	2021418241
INT	NA	142	Q	0.09.41	0	2	Dixon	MA47112901	2021418241
CON	EXC	142	EXC				Dixon	MA47112901	2021418242
CON	EXC	142	ABS				Dixon	MA47112901	2021418243

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
BUR	ADV	103	NQ				Ducky	NP42156402	2021418240
INT	MAS	103	Q	3.24.04		6	Ducky	NP42156402	2021418240
BUR	ADV	103	NQ				Ducky	NP42156402	2021418241
INT	MAS	103	Q	3.02.44	0	3	Ducky	NP42156402	2021418241
EXT	EXC	103	Q	1.34.37	0	3	Ducky	NP42156402	2021418242
CON	EXC	103	NQ				Ducky	NP42156402	2021418242
EXT	EXC	103	Q	1.25.00	0	1	Ducky	NP42156402	2021418243
CON	EXC	103	NQ				Ducky	NP42156402	2021418243
INT	EXC	172	Q	2.35.3	0	6	Duncan	DN34332403	2021418240
BUR	MAS	172	NQ				Duncan	DN34332403	2021418240
INT	EXC	172	Q	1.45.91	0	7	Duncan	DN34332403	2021418241
BUR	MAS	172	NQ				Duncan	DN34332403	2021418241
CON	MAS	172	NQ				Duncan	DN34332403	2021418242
EXT	MAS	172	Q	2.05.32	0	3	Duncan	DN34332403	2021418242
EXT	MAS	172	NQ				Duncan	DN34332403	2021418243
CON	MAS	172	NQ				Duncan	DN34332403	2021418243
BUR	EXC	127	ABS				Emmie	MA54849901	2021418240
INT	EXC	127	ABS				Emmie	MA54849901	2021418241
BUR	EXC	127	ABS				Emmie	MA54849901	2021418241
INT	ADV	155	Q	0.33.09	0	1	Feather	DN28394105	2021418240
INT	ADV	155	Q	0.44.50	0	2	Feather	DN28394105	2021418241
CON	ADV	155	Q	0.49.50	0	4	Feather	DN28394105	2021418242
EXT	ADV	155	NQ				Feather	DN28394105	2021418242
CON	ADV	155	Q	0.31.63	0	3	Feather	DN28394105	2021418243
EXT	ADV	155	NQ				Feather	DN28394105	2021418243
CON	ADV	112	NQ				Finn	DN48977806	2021418242
EXT	ADV	112	NQ				Finn	DN48977806	2021418242
CON	ADV	112	Q	0.32.40	0	4	Finn	DN48977806	2021418243
EXT	ADV	112	NQ				Finn	DN48977806	2021418243
BUR	ADV	200	Q	0.42.87	0	2	G2	WS69747001	2021418240
INT	NA	200	NQ				G2	WS69747001	2021418240
BUR	ADV	200	Q	0.59.69	0	2	G2	WS69747001	2021418241
INT	NA	200	Q	0.13.44	0	4	G2	WS69747001	2021418241
EXT	NA	200	Q	0.15.47	0	1	G2	WS69747001	2021418242
CON	ADV	200	NQ				G2	WS69747001	2021418242
CON	ADV	200	Q	1.44.19	0	14	G2	WS69747001	2021418243
EXT	ADV	200	NQ				G2	WS69747001	2021418243
BUR	NA	195	NQ				GeenaME	DN27910002	2021418240
INT	NA	195	Q	0.42.90	0	3	GeenaME	DN27910002	2021418240

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
BUR	NA	195	NQ				GeenaME	DN27910002	2021418241
INT	NA	195	Q	0.20.97	0	7	GeenaME	DN27910002	2021418241
CON	NA	195	Q	0.13.16	0	2	GeenaME	DN27910002	2021418242
EXT	NA	195	Q	1.43.16	0	8	GeenaME	DN27910002	2021418242
CON	NA	195	NQ				GeenaME	DN27910002	2021418243
EXT	NA	195	Q	0.23.06	0	1	GeenaME	DN27910002	2021418243
BUR	NB	190	Q	0.32.34	0	7	Graeme	HP57847604	2021418240
INT	NB	190	Q	0.20.47	0	3	Graeme	HP57847604	2021418240
BUR	NB	190	Q	0.08.15	0	1	Graeme	HP57847604	2021418241
INT	NB	190	Q	0.14.13	0	9	Graeme	HP57847604	2021418241
CON	NB	190	Q	0.06.56	0	3	Graeme	HP57847604	2021418242
EXT	NB	190	NQ				Graeme	HP57847604	2021418242
CON	NB	190	Q	0.25.85		4	Graeme	HP57847604	2021418243
EXT	NB	190	Q	0.26.44	0	4	Graeme	HP57847604	2021418243
INT	EXC	169	NQ				Hawkeye	HP55790301	2021418240
BUR	EXC	169	NQ				Hawkeye	HP55790301	2021418240
INT	EXC	169	NQ				Hawkeye	HP55790301	2021418241
BUR	EXC	169	NQ				Hawkeye	HP55790301	2021418241
EXT	EXC	169	NQ				Hawkeye	HP55790301	2021418242
CON	EXC	169	NQ				Hawkeye	HP55790301	2021418242
EXT	EXC	169	EXC		X		Hawkeye	HP55790301	2021418243
CON	EXC	169	NQ				Hawkeye	HP55790301	2021418243
BUR	ADV	174	NQ				Heidi	SR94223501	2021418240
INT	NA	174	Q	0.10.62	0	1	Heidi	SR94223501	2021418240
BUR	ADV	174	NQ				Heidi	SR94223501	2021418241
INT	NA	174	Q	0.16.02	0	6	Heidi	SR94223501	2021418241
EXT	NA	174	Q	1.56.60	0	9	Heidi	SR94223501	2021418242
CON	EXC	174	NQ				Heidi	SR94223501	2021418242
EXT	ADV	174	Q	2.49.25	0	7	Heidi	SR94223501	2021418243
CON	EXC	174	Q	1.22.82	0	7	Heidi	SR94223501	2021418243
BUR	MAS	101	NQ				Hey Jude	RN26002005	2021418240
INT	NB	101	Q	1.06.00	0	8	Hey Jude	RN26002005	2021418240
INT	NB	101	Q	0.14.00	0	8	Hey Jude	RN26002005	2021418241
BUR	MAS	124	NQ				Izzy	PAL270508	2021418240
INT	MAS	124	NQ				Izzy	PAL270508	2021418240
INT	MAS	124	NQ				Izzy	PAL270508	2021418241
BUR	MAS	124	NQ				Izzy	PAL270508	2021418241
CON	MAS	124	NQ				Izzy	PAL270508	2021418242
EXT	MAS	124	NQ				Izzy	PAL270508	2021418242

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
EXT	MAS	124	NQ				Izzy	PAL270508	2021418243
CON	MAS	124	Q	1.58.94	0	4	Izzy	PAL270508	2021418243
BUR	MAS	139	NQ				Jake	SR50306709	2021418240
INT	MAS	139	Q	3.26.19		7	Jake	SR50306709	2021418240
BUR	MAS	139	NQ				Jake	SR50306709	2021418241
INT	MAS	139	NQ				Jake	SR50306709	2021418241
CON	MAS	139	Q	1.16.88	0	1	Jake	SR50306709	2021418242
EXT	MAS	139	Q	2.00.90	0	1	Jake	SR50306709	2021418242
EXT	MAS	139	NQ				Jake	SR50306709	2021418243
CON	MAS	139	Q	0.47.69	0	1	Jake	SR50306709	2021418243
BUR	MAS	160	NQ				Janie	RN25388504	2021418240
INT	MAS	160	Q	7.16.44		8	Janie	RN25388504	2021418240
BUR	MAS	160	NQ				Janie	RN25388504	2021418241
INT	MAS	160	NQ				Janie	RN25388504	2021418241
CON	EXC	147	NQ				Jayci	DN57585413	2021418242
CON	EXC	147	Q	2.15.03	0	10	Jayci	DN57585413	2021418243
BUR	NA	166	Q	0.24.25	0	6	Jazz	DN31113303	2021418240
INT	NB	166	NQ				Jazz	DN31113303	2021418240
BUR	ADV	166	Q	1.02.63	0	4	Jazz	DN31113303	2021418241
INT	NB	166	Q	0.23.77	0	12	Jazz	DN31113303	2021418241
CON	ADV	166	NQ				Jazz	DN31113303	2021418242
EXT	ADV	166	NQ				Jazz	DN31113303	2021418242
CON	ADV	166	Q	1.34.97	0	13	Jazz	DN31113303	2021418243
EXT	ADV	166	NQ				Jazz	DN31113303	2021418243
BUR	NA	170	NQ				Jessie	MA07211301	2021418240
BUR	NA	170	NQ				Jessie	MA07211301	2021418241
CON	ADV	170	NQ				Jessie	MA07211301	2021418242
CON	ADV	170	NQ				Jessie	MA07211301	2021418243
INT	NA	177	Q	1.52.44	0	6	Jolene	RN35470601	2021418240
INT	NA	177	Q	1.41.80	0	13	Jolene	RN35470601	2021418241
CON	NA	177	Q	0.28.41	0	5	Jolene	RN35470601	2021418242
CON	ADV	177	Q	0.21.91	0	1	Jolene	RN35470601	2021418243
CON	NB	123	Q	0.25.03	0	9	Jonathan	PAL270767	2021418242
INT	ADV	133	Q	1.23.06	0	7	Katie	SR94369401	2021418240
EXT	NA	133	Q	0.20.94	0	2	Katie	SR94369401	2021418242
CON	ADV	133	Q	0.42.03	0	9	Katie	SR94369401	2021418243
BUR	NA	165	NQ				Lady	MA48382901	2021418240
INT	NA	165	NQ				Lady	MA48382901	2021418240
INT	NA	188	NQ				Lance	SS09543501	2021418240

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
BUR	NA	188	Q	0.07.75	0	4	Lance	SS09543501	2021418240
BUR	NA	188	Q	0.08.85	0	2	Lance	SS09543501	2021418241
INT	NA	188	Q	1.08.31	0	11	Lance	SS09543501	2021418241
EXT	NA	188	NQ				Lance	SS09543501	2021418242
CON	ADV	188	NQ				Lance	SS09543501	2021418242
EXT	NA	188	Q	0.52.50	0	3	Lance	SS09543501	2021418243
CON	ADV	188	NQ				Lance	SS09543501	2021418243
CON	ADV	146	NQ				Lolli	TS34919301	2021418242
CON	NB	146	Q	0.08.47	0	4	Lolli	TS34919301	2021418242
EXT	NB	146	NQ				Lolli	TS34919301	2021418242
EXT	NB	146	Q	0.43.63	0	7	Lolli	TS34919301	2021418243
CON	ADV	146	NQ				Lolli	TS34919301	2021418243
CON	NB	146	Q	0.10.34		1	Lolli	TS34919301	2021418243
BUR	NA	162	Q	0.05.34	0	2	Lyra	PR13883608	2021418240
INT	NA	162	NQ				Lyra	PR13883608	2021418240
BUR	ADV	162	NQ				Lyra	PR13883608	2021418241
CON	ADV	162	Q	0.26.47	0	1	Lyra	PR13883608	2021418242
EXT	NA	162	NQ				Lyra	PR13883608	2021418242
CON	ADV	162	Q	0.35.65	0	5	Lyra	PR13883608	2021418243
BUR	MAS	150	NQ				May	RN31108401	2021418240
INT	MAS	150	NQ				May	RN31108401	2021418240
BUR	MAS	150	NQ				May	RN31108401	2021418241
INT	MAS	150	Q	3.23.95	0	5	May	RN31108401	2021418241
CON	MAS	150	NQ				May	RN31108401	2021418242
EXT	MAS	150	NQ				May	RN31108401	2021418242
EXT	MAS	150	EXC		X		May	RN31108401	2021418243
CON	MAS	150	Q	1.41.69	0	3	May	RN31108401	2021418243
BUR	NA	192	NQ				Micah	DN37623802	2021418240
INT	NA	192	NQ				Micah	DN37623802	2021418240
BUR	NA	192	NQ				Micah	DN37623802	2021418241
INT	NA	192	Q	0.09.91	0	3	Micah	DN37623802	2021418241
CON	NA	192	Q	0.21.44	0	4	Micah	DN37623802	2021418242
EXT	NA	192	Q	1.10.25	0	5	Micah	DN37623802	2021418242
EXT	NA	192	NQ				Micah	DN37623802	2021418243
CON	NA	192	Q	0.14.31	0	3	Micah	DN37623802	2021418243
INT	NA	110	NQ				Mina	WS62640103	2021418240
INT	NA	110	Q	0.54.72	0	9	Mina	WS62640103	2021418241
EXT	NA	110	Q	1.42.72	0	6	Mina	WS62640103	2021418242
CON	NA	110	Q	0.17.35	0	3	Mina	WS62640103	2021418242



# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
CON	NA	110	Q	0.09.44	0	2	Mina	WS62640103	2021418243
EXT	NA	110	Q	1.02.31	0	4	Mina	WS62640103	2021418243
CON	NB	175	Q	0.21.28	0	8	Molly	MA4182401	2021418242
EXT	NB	175	Q	1.43.75	0	5	Molly	MA4182401	2021418242
CON	NB	175	Q	0.27.47		5	Molly	MA4182401	2021418243
EXT	ADV	175	Q	2.45.04	0	6	Molly	MA4182401	2021418243
BUR	ADV	211	NQ				Molly Mae	MA50697901	2021418240
INT	NA	211	Q	0.22.97	0	2	Molly Mae	MA50697901	2021418240
BUR	ADV	211	Q	0.41.03	0	1	Molly Mae	MA50697901	2021418241
INT	NA	211	Q	0.08.78	0	1	Molly Mae	MA50697901	2021418241
EXT	ADV	211	Q	0.27.97	0	2	Molly Mae	MA50697901	2021418243
CON	NA	211	Q	0.07.25	0	1	Molly Mae	MA50697901	2021418243
INT	NA	106	NQ				Muppet	TS43084401	2021418240
INT	NA	106	Q	1.05.38	0	10	Muppet	TS43084401	2021418241
BUR	ADV	197	NQ				Murfee	DN58895201	2021418240
INT	NB	197	Q	0.04.27	0	1	Murfee	DN58895201	2021418240
BUR	ADV	197	NQ				Murfee	DN58895201	2021418241
INT	NB	197	Q	0.05.43	0	3	Murfee	DN58895201	2021418241
CON	ADV	197	NQ				Murfee	DN58895201	2021418242
EXT	ADV	197	NQ				Murfee	DN58895201	2021418242
EXT	ADV	197	Q	0.43.35	0	4	Murfee	DN58895201	2021418243
CON	ADV	197	Q	0.42.00	0	8	Murfee	DN58895201	2021418243
CON	ADV	193	ABS				Nim	DN32885001	2021418243
EXT	ADV	193	ABS				Nim	DN32885001	2021418243
BUR	NA	138	Q	0.33.19	0	7	Opie	HP54901207	2021418240
INT	NA	138	NQ				Opie	HP54901207	2021418240
BUR	ADV	138	NQ				Opie	HP54901207	2021418241
INT	NA	138	Q	1.28.66	0	12	Opie	HP54901207	2021418241
EXT	NA	138	NQ				Opie	HP54901207	2021418242
CON	ADV	138	Q	0.42.00	0	2	Opie	HP54901207	2021418242
CON	ADV	138	Q	0.24.00	0	2	Opie	HP54901207	2021418243
EXT	NA	138	NQ				Opie	HP54901207	2021418243
BUR	ADV	163	NQ				Ozzie	HP33133302	2021418240
INT	NB	163	NQ				Ozzie	HP33133302	2021418240
BUR	ADV	163	NQ				Ozzie	HP33133302	2021418241
INT	NB	163	Q	0.36.03	0	14	Ozzie	HP33133302	2021418241
EXT	EXC	163	Q	3.17.53	0	7	Ozzie	HP33133302	2021418242
CON	EXC	163	NQ				Ozzie	HP33133302	2021418242
EXT	EXC	163	NQ				Ozzie	HP33133302	2021418243

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
CON	EXC	163	Q	1.36.13	0	8	Ozzie	HP33133302	2021418243
INT	NB	132	NQ				Pepcee	DN41481803	2021418240
BUR	NB	132	NQ				Pepcee	DN41481803	2021418240
INT	NB	132	Q	0.42.78	0	15	Pepcee	DN41481803	2021418241
BUR	NB	132	Q	0.19.81	0	5	Pepcee	DN41481803	2021418241
CON	NB	132	NQ				Pepcee	DN41481803	2021418242
EXT	NB	132	NQ				Pepcee	DN41481803	2021418242
EXT	NB	132	NQ				Pepcee	DN41481803	2021418243
CON	NB	132	NQ				Pepcee	DN41481803	2021418243
BUR	ADV	171	NQ				Radar	DN52797701	2021418240
BUR	ADV	171	NQ				Radar	DN52797701	2021418241
CON	EXC	171	NQ				Radar	DN52797701	2021418242
CON	EXC	171	NQ				Radar	DN52797701	2021418243
INT	MAS	202	NQ				Raleigh	PAL269135	2021418240
INT	MAS	202	Q	2.22.93	0	1	Raleigh	PAL269135	2021418241
INT	NB	136	Q	0.27.32	0	4	Raven	DN56690206	2021418240
BUR	NB	136	Q	0.17.16	0	4	Raven	DN56690206	2021418240
INT	NB	136	Q	0.11.00	0	7	Raven	DN56690206	2021418241
BUR	NB	136	Q	0.18.78	0	3	Raven	DN56690206	2021418241
EXT	NB	136	Q	0.50.06	0	3	Raven	DN56690206	2021418242
CON	ADV	136	Q	0.43.78	0	3	Raven	DN56690206	2021418242
CON	ADV	136	Q	0.39.22	0	7	Raven	DN56690206	2021418243
EXT	NB	136	Q	0.35.63	0	6	Raven	DN56690206	2021418243
INT	MAS	118	Q	1.53.89		1	Ready	SR89611202	2021418240
INT	MAS	118	Q	3.21.87	0	4	Ready	SR89611202	2021418241
EXT	MAS	118	Q	2.44.19	0	6	Ready	SR89611202	2021418242
EXT	MAS	118	Q	2.59.53		4	Ready	SR89611202	2021418243
EXT	MAS	121	Q	2.42.59	0	5	Ref	DN48255602	2021418242
CON	EXC	121	NQ				Ref	DN48255602	2021418242
CON	EXC	121	Q	0.44.09	0	2	Ref	DN48255602	2021418243
EXT	MAS	121	Q	2.15.50		3	Ref	DN48255602	2021418243
BUR	MAS	145	NQ				Rosie	HP36804107	2021418240
INT	MAS	145	Q	3.20.58		5	Rosie	HP36804107	2021418240
BUR	MAS	145	NQ				Rosie	HP36804107	2021418241
INT	MAS	145	NQ				Rosie	HP36804107	2021418241
EXT	MAS	145	Q	2.03.16	0	2	Rosie	HP36804107	2021418242
EXT	MAS	145	EXC		X		Rosie	HP36804107	2021418243
BUR	NA	104	Q	0.06.18	0	3	Rowan	TS31635101	2021418240
BUR	ADV	104	EXC				Rowan	TS31635101	2021418241

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
EXT	ADV	104	EXC		X		Rowan	TS31635101	2021418242
EXT	ADV	104	EXC				Rowan	TS31635101	2021418243
INT	NA	111	Q	0.53.03	0	5	Rowdy	RN30236901	2021418240
INT	NA	111	Q	0.15.88	0	5	Rowdy	RN30236901	2021418241
EXT	NA	111	NQ				Rowdy	RN30236901	2021418242
EXT	NA	111	Q	1.24.00	0	5	Rowdy	RN30236901	2021418243
EXT	NA	159	Q	0.29.53	0	3	Ryder	NP32283201	2021418242
CON	NA	159	NQ				Ryder	NP32283201	2021418242
CON	NA	159	Q	0.14.66	0	4	Ryder	NP32283201	2021418243
EXT	ADV	159	NQ				Ryder	NP32283201	2021418243
BUR	ADV	208	Q	0.26.59	0	1	Sailor	WS36856103	2021418240
BUR	EXC	208	Q	0.45.93	0	1	Sailor	WS36856103	2021418240
INT	EXC	208	Q	0.57.34	0	1	Sailor	WS36856103	2021418240
BUR	EXC	208	NQ				Sailor	WS36856103	2021418241
INT	EXC	208	Q	1.54.54	0	9	Sailor	WS36856103	2021418241
BUR	MAS	208	NQ				Sailor	WS36856103	2021418241
INT	MAS	208	NQ				Sailor	WS36856103	2021418241
INT	NB	129	NQ				Saxe	DN65008001	2021418240
BUR	NB	129	NQ				Saxe	DN65008001	2021418240
INT	NB	129	NQ				Saxe	DN65008001	2021418241
BUR	NB	129	NQ				Saxe	DN65008001	2021418241
EXT	NB	129	Q	1.45.75	0	6	Saxe	DN65008001	2021418242
CON	NB	129	Q	0.12.93	0	6	Saxe	DN65008001	2021418242
EXT	NB	129	Q	0.29.56	0	5	Saxe	DN65008001	2021418243
CON	NB	129	Q	0.50.75		6	Saxe	DN65008001	2021418243
INT	MAS	115	Q	2.52.53		4	Schooner	RN16824103	2021418240
INT	MAS	115	Q	4.10.02	0	7	Schooner	RN16824103	2021418241
CON	MAS	115	Q	1.17.09	0	2	Schooner	RN16824103	2021418242
CON	MAS	115	NQ				Schooner	RN16824103	2021418243
BUR	ADV	114	NQ				Scuppers	RN34609103	2021418240
INT	EXC	114	Q	1.26.62	0	4	Scuppers	RN34609103	2021418240
BUR	ADV	114	NQ				Scuppers	RN34609103	2021418241
INT	EXC	114	Q	1.00.17	0	2	Scuppers	RN34609103	2021418241
EXT	MAS	114	Q	2.35.05	0	4	Scuppers	RN34609103	2021418242
CON	EXC	114	NQ				Scuppers	RN34609103	2021418242
CON	EXC	114	Q	0.59.53	0	4	Scuppers	RN34609103	2021418243
EXT	MAS	114	Q	1.51.97		1	Scuppers	RN34609103	2021418243
INT	ADV	153	Q	1.04.85	0	6	Smoaki	PAL267504	2021418240
BUR	ADV	153	NQ				Smoaki	PAL267504	2021418240

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
BUR	ADV	153	Q	1.21.10	0	6	Smoaki	PAL267504	2021418241
INT	ADV	153	Q	1.13.31	0	6	Smoaki	PAL267504	2021418241
INT	NB	181	NQ				Spencer	SR92117405	2021418240
BUR	NB	181	Q	0.17.82	0	5	Spencer	SR92117405	2021418240
BUR	ADV	181	NQ				Spencer	SR92117405	2021418241
INT	NB	181	Q	0.04.69	0	2	Spencer	SR92117405	2021418241
EXT	NB	181	Q	0.40.53	0	2	Spencer	SR92117405	2021418242
CON	NB	181	Q	0.03.84	0	1	Spencer	SR92117405	2021418242
EXT	ADV	181	Q	0.22.19	0	1	Spencer	SR92117405	2021418243
CON	ADV	181	Q	0.38.69	0	6	Spencer	SR92117405	2021418243
BUR	EXC	161	Q	1.14.50	0	3	Squall	DN45993603	2021418240
INT	EXC	161	Q	1.07.29	0	3	Squall	DN45993603	2021418240
INT	EXC	161	Q	1.49.65	0	8	Squall	DN45993603	2021418241
BUR	EXC	161	NQ				Squall	DN45993603	2021418241
EXT	MAS	161	Q	3.15.25	0	8	Squall	DN45993603	2021418242
CON	EXC	161	Q	1.02.66	0	1	Squall	DN45993603	2021418242
CON	EXC	161	NQ				Squall	DN45993603	2021418243
EXT	MAS	161	Q	3.15.25		5	Squall	DN45993603	2021418243
BUR	NA	134	Q	0.40.53	0	8	Teddy	SR76772502	2021418240
INT	ADV	134	Q	0.58.03	0	5	Teddy	SR76772502	2021418241
EXT	ADV	134	NQ				Teddy	SR76772502	2021418242
BUR	ADV	116	NQ				Tex	DN53800506	2021418240
INT	EXC	116	Q	1.01.62	0	2	Tex	DN53800506	2021418240
BUR	ADV	116	NQ				Tex	DN53800506	2021418241
INT	EXC	116	Q	0.58.61	0	1	Tex	DN53800506	2021418241
EXT	EXC	116	Q	1.01.57	0	2	Tex	DN53800506	2021418242
CON	EXC	116	NQ				Tex	DN53800506	2021418242
EXT	EXC	116	Q	1.29.81	0	2	Tex	DN53800506	2021418243
CON	EXC	116	Q	0.32.56	0	1	Tex	DN53800506	2021418243
INT	NB	143	Q	0.33.75	0	5	Ticker	DN60929506	2021418240
BUR	NB	143	Q	0.16.71	0	3	Ticker	DN60929506	2021418240
BUR	ADV	143	NQ				Ticker	DN60929506	2021418241
INT	NB	143	Q	0.08.94	0	5	Ticker	DN60929506	2021418241
EXT	NB	143	Q	0.30.41	0	1	Ticker	DN60929506	2021418242
CON	NB	143	Q	0.19.29	0	7	Ticker	DN60929506	2021418242
EXT	NB	143	Q	0.20.78	0	2	Ticker	DN60929506	2021418243
CON	NB	143	NQ				Ticker	DN60929506	2021418243
INT	EXC	173	Q	1.17.9	1	9	Trixie	WS65821108	2021418240
INT	ADV	173	Q	0.44.32	0	2	Trixie	WS65821108	2021418240

# ABMC SCENT WORK TRIAL RESULTS - MAY 2021

CLASS	LV	ARM	RES	TIME	FAULT	PL	CALL NAME	AKC#	EVENT#
BUR	ADV	173	NQ				Trixie	WS65821108	2021418240
BUR	EXC	173	NQ				Trixie	WS65821108	2021418240
INT	ADV	173	Q	0.38.06	0	1	Trixie	WS65821108	2021418241
BUR	ADV	173	NQ				Trixie	WS65821108	2021418241
INT	EXC	173	Q	2.09.38	0	11	Trixie	WS65821108	2021418241
BUR	EXC	173	Q	2.25.72	0	1	Trixie	WS65821108	2021418241
CON	ADV	173	NQ				Trixie	WS65821108	2021418242
EXT	EXC	173	Q	1.36.93	0	4	Trixie	WS65821108	2021418242
CON	EXC	173	NQ				Trixie	WS65821108	2021418242
EXT	ADV	173	NQ				Trixie	WS65821108	2021418242
EXT	ADV	173	Q	1.40.38	0	5	Trixie	WS65821108	2021418243
CON	ADV	173	NQ				Trixie	WS65821108	2021418243
EXT	EXC	173	NQ				Trixie	WS65821108	2021418243
CON	EXC	173	NQ				Trixie	WS65821108	2021418243
INT	ADV	158	Q	0.49.28	0	3	Trooper	DN47071904	2021418240
BUR	ADV	158	NQ				Trooper	DN47071904	2021418240
BUR	ADV	158	Q	1.00.53	0	3	Trooper	DN47071904	2021418241
INT	ADV	158	Q	0.54.50	0	3	Trooper	DN47071904	2021418241
INT	MAS	125	Q	2.40.64		3	Trudy	PAL270385	2021418240
INT	MAS	125	NQ				Trudy	PAL270385	2021418241
EXT	MAS	125	NQ				Trudy	PAL270385	2021418242
EXT	MAS	125	Q	3.22.90		6	Trudy	PAL270385	2021418243
INT	MAS	151	NQ				Wendy Sue	DN27120607	2021418240
INT	MAS	151	Q	2.32.31	0	2	Wendy Sue	DN27120607	2021418241
EXT	NA	141	Q	1.42.82	0	7	Zuri	MA23256801	2021418242
EXT	NA	141	Q	0.46.75	0	2	Zuri	MA23256801	2021418243